




www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733

SPECIAL PRODUCTS

SP


Ferris-Smith Kerrison Rongeur
Up Cutting

Catalog #	Size, Bite Size
KE-300-01	15 cm (6"), 1 mm
KE-300-02	15 cm (6"), 2 mm
KE-300-03	15 cm (6"), 3 mm
KE-300-04	15 cm (6"), 4 mm
KE-300-05	15 cm (6"), 5 mm



Ferris-Smith Kerrison Rongeur
Down Cutting

Catalog #	Size, Bite Size
KE-301-01	15 cm (6"), 1 mm
KE-301-02	15 cm (6"), 2 mm
KE-301-03	15 cm (6"), 3 mm
KE-301-04	15 cm (6"), 4 mm
KE-301-05	15 cm (6"), 5 mm



Yasargil Tumor Grasping Forcep

Catalog #	Size, Bite Size
KE-461-35	20 cm (8"), Ø 3.5 mm



Oldberg Tumor Grasping Forcep

Catalog #	Size, Bite Size
KE-463-60	18 cm (7"), Ø 6.5 mm





www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733


SPECIAL PRODUCTS

SP

Ferris-Smith Kerrison Rongeur

40° Forward Up Cutting


Catalog #	Size, Bite Size
KE-302-01	15 cm (6"), 1 mm
KE-302-02	15 cm (6"), 2 mm
KE-302-03	15 cm (6"), 3 mm
KE-302-04	15 cm (6"), 4 mm
KE-302-05	15 cm (6"), 5 mm



Ferris-Smith Kerrison Rongeur

40° Forward Down Cutting


Catalog #	Size, Bite Size
KE-303-01	15 cm (6"), 1 mm
KE-303-02	15 cm (6"), 2 mm
KE-303-03	15 cm (6"), 3 mm
KE-303-04	15 cm (6"), 4 mm
KE-303-05	15 cm (6"), 5 mm



Ferris-Smith Kerrison Rongeur

Up Cutting

Catalog #	Size, Bite Size
KE-304-01	18 cm (7"), 1 mm
KE-304-02	18 cm (7"), 2 mm
KE-304-03	18 cm (7"), 3 mm
KE-304-04	18 cm (7"), 4 mm
KE-304-05	18 cm (7"), 5 mm






www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733

SPECIAL PRODUCTS

SP


Ferris-Smith Kerrison Rongeur
Down Cutting

Catalog #	Size, Bite Size
KE-305-01	18 cm (7"), 1 mm
KE-305-02	18 cm (7"), 2 mm
KE-305-03	18 cm (7"), 3 mm
KE-305-04	18 cm (7"), 4 mm
KE-305-05	18 cm (7"), 5 mm




Ferris-Smith Kerrison Rongeur
40° Forward Up Cutting

Catalog #	Size, Bite Size
KE-306-01	18 cm (7"), 1 mm
KE-306-02	18 cm (7"), 2 mm
KE-306-03	18 cm (7"), 3 mm
KE-306-04	18 cm (7"), 4 mm
KE-306-05	18 cm (7"), 5 mm



Ferris-Smith Kerrison Rongeur
40° Forward Down Cutting

Catalog #	Size, Bite Size
KE-307-01	18 cm (7"), 1 mm
KE-307-02	18 cm (7"), 2 mm
KE-307-03	18 cm (7"), 3 mm
KE-307-04	18 cm (7"), 4 mm
KE-307-05	18 cm (7"), 5 mm





www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733

SPECIAL PRODUCTS


SP

Ferris-Smith Kerrison Rongeur

Up Cutting

1 mm 2 mm 3 mm 4 mm 5 mm

Catalog #	Size, Bite Size
KE-308-01	20 cm (8"), 1 mm
KE-308-02	20 cm (8"), 2 mm
KE-308-03	20 cm (8"), 3 mm
KE-308-04	20 cm (8"), 4 mm
KE-308-05	20 cm (8"), 5 mm




Ferris-Smith Kerrison Rongeur

Down Cutting

1 mm 2 mm 3 mm 4 mm 5 mm

Catalog #	Size, Bite Size
KE-309-01	20 cm (8"), 1 mm
KE-309-02	20 cm (8"), 2 mm
KE-309-03	20 cm (8"), 3 mm
KE-309-04	20 cm (8"), 4 mm
KE-309-05	20 cm (8"), 5 mm




Ferris-Smith Kerrison Rongeur

40° Forward Up Cutting

1 mm 2 mm 3 mm 4 mm 5 mm

Catalog #	Size, Bite Size
KE-310-01	20 cm (8"), 1 mm
KE-310-02	20 cm (8"), 2 mm
KE-310-03	20 cm (8"), 3 mm
KE-310-04	20 cm (8"), 4 mm
KE-310-05	20 cm (8"), 5 mm





www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733


SPECIAL PRODUCTS

SP

Ferris-Smith Kerrison Rongeur

40° Forward Down Cutting

Catalog #	Size, Bite Size
KE-311-01	20 cm (8"), 1 mm
KE-311-02	20 cm (8"), 2 mm
KE-311-03	20 cm (8"), 3 mm
KE-311-04	20 cm (8"), 4 mm
KE-311-05	20 cm (8"), 5 mm



Ferris-Smith Kerrison Rongeur

Detachable Model, Up Cutting

Catalog #	Size, Bite Size
KE-320-01	18 cm (7"), 1 mm
KE-320-02	18 cm (7"), 2 mm
KE-320-03	18 cm (7"), 3 mm
KE-320-04	18 cm (7"), 4 mm
KE-320-05	18 cm (7"), 5 mm



Ferris-Smith Kerrison Rongeur

Detachable Model, Down Cutting

Catalog #	Size, Bite Size
KE-321-01	18 cm (7"), 1 mm
KE-321-02	18 cm (7"), 2 mm
KE-321-03	18 cm (7"), 3 mm
KE-321-04	18 cm (7"), 4 mm
KE-321-05	18 cm (7"), 5 mm





www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733


SPECIAL PRODUCTS

SP

Ferris-Smith Kerrison Rongeur

Detachable Model, 40° Forward Up Cutting

Catalog #	Size, Bite Size
KE-322-01	18 cm (7"), 1 mm
KE-322-02	18 cm (7"), 2 mm
KE-322-03	18 cm (7"), 3 mm
KE-322-04	18 cm (7"), 4 mm
KE-322-05	18 cm (7"), 5 mm



Ferris-Smith Kerrison Rongeur

Detachable Model, 40° Forward Down Cutting

Catalog #	Size, Bite Size
KE-323-01	18 cm (7"), 1 mm
KE-323-02	18 cm (7"), 2 mm
KE-323-03	18 cm (7"), 3 mm
KE-323-04	18 cm (7"), 4 mm
KE-323-05	18 cm (7"), 5 mm



Ferris-Smith Kerrison Rongeur

Detachable Model, Up Cutting

Catalog #	Size, Bite Size
KE-324-01	20 cm (8"), 1 mm
KE-324-02	20 cm (8"), 2 mm
KE-324-03	20 cm (8"), 3 mm
KE-324-04	20 cm (8"), 4 mm
KE-324-05	20 cm (8"), 5 mm





www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733

SPECIAL PRODUCTS

SP

Ferris-Smith Kerrison Rongeur
Detachable Model, Down Cutting

Catalog #	Size, Bite Size
KE-325-01	20 cm (8"), 1 mm
KE-325-02	20 cm (8"), 2 mm
KE-325-03	20 cm (8"), 3 mm
KE-325-04	20 cm (8"), 4 mm
KE-325-05	20 cm (8"), 5 mm



Ferris-Smith Kerrison Rongeur
Detachable Model, 40° Up Cutting

Catalog #	Size, Bite Size
KE-326-01	20 cm (8"), 1 mm
KE-326-02	20 cm (8"), 2 mm
KE-326-03	20 cm (8"), 3 mm
KE-326-04	20 cm (8"), 4 mm
KE-326-05	20 cm (8"), 5 mm



Ferris-Smith Kerrison Rongeur
Detachable Model, 40° Down Cutting

Catalog #	Size, Bite Size
KE-327-01	20 cm (8"), 1 mm
KE-327-02	20 cm (8"), 2 mm
KE-327-03	20 cm (8"), 3 mm
KE-327-04	20 cm (8"), 4 mm
KE-327-05	20 cm (8"), 5 mm





www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733


SPECIAL PRODUCTS

SP

Ferris-Smith Kerrison Rongeur

Up Cutting


Catalog #	Size, Bite Size
KE-330-01	18 cm (7"), 1 mm
KE-330-02	18 cm (7"), 2 mm
KE-330-03	18 cm (7"), 3 mm
KE-330-04	18 cm (7"), 4 mm
KE-330-05	18 cm (7"), 5 mm



Ferris-Smith Kerrison Rongeur

Down Cutting


Catalog #	Size, Bite Size
KE-331-01	18 cm (7"), 1 mm
KE-331-02	18 cm (7"), 2 mm
KE-331-03	18 cm (7"), 3 mm
KE-331-04	18 cm (7"), 4 mm
KE-331-05	18 cm (7"), 5 mm



Ferris-Smith Kerrison Rongeur

40° Forward Up Cutting

Catalog #	Size, Bite Size
KE-332-01	18 cm (7"), 1 mm
KE-332-02	18 cm (7"), 2 mm
KE-332-03	18 cm (7"), 3 mm
KE-332-04	18 cm (7"), 4 mm
KE-332-05	18 cm (7"), 5 mm






www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733

SPECIAL PRODUCTS

SP


Ferris-Smith Kerrison Rongeur
40° Forward Down Cutting

Catalog #	Size, Bite Size
KE-333-01	18 cm (7"), 1 mm
KE-333-02	18 cm (7"), 2 mm
KE-333-03	18 cm (7"), 3 mm
KE-333-04	18 cm (7"), 4 mm
KE-333-05	18 cm (7"), 5 mm




Ferris-Smith Kerrison Rongeur
Up Cutting

Catalog #	Size, Bite Size
KE-334-01	20 cm (8"), 1 mm
KE-334-02	20 cm (8"), 2 mm
KE-334-03	20 cm (8"), 3 mm
KE-334-04	20 cm (8"), 4 mm
KE-334-05	20 cm (8"), 5 mm



Ferris-Smith Kerrison Rongeur
Down Cutting

Catalog #	Size, Bite Size
KE-335-01	20 cm (8"), 1 mm
KE-335-02	20 cm (8"), 2 mm
KE-335-03	20 cm (8"), 3 mm
KE-335-04	20 cm (8"), 4 mm
KE-335-05	20 cm (8"), 5 mm





www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733


SPECIAL PRODUCTS

SP

Ferris-Smith Kerrison Rongeur

40° Forward Up Cutting


Catalog #	Size, Bite Size
KE-336-01	20 cm (8"), 1 mm
KE-336-02	20 cm (8"), 2 mm
KE-336-03	20 cm (8"), 3 mm
KE-336-04	20 cm (8"), 4 mm
KE-336-05	20 cm (8"), 5 mm



Ferris-Smith Kerrison Rongeur


40° Forward Down Cutting

Catalog #	Size, Bite Size
KE-337-01	20 cm (8"), 1 mm
KE-337-02	20 cm (8"), 2 mm
KE-337-03	20 cm (8"), 3 mm
KE-337-04	20 cm (8"), 4 mm
KE-337-05	20 cm (8"), 5 mm




Cushing Leminectomy Rongeur

Catalog #	Size, Bite Size, Profile
KE-400-01	13 cm (5"), 2 x 10 mm, Straight
KE-400-02	13 cm (5"), 2 x 10 mm, Up
KE-400-03	13 cm (5"), 2 x 10 mm, Down



Cushing Leminectomy Rongeur

Catalog #	Size, Bite Size, Profile
KE-401-01	15 cm (6"), 2 x 10 mm, Straight
KE-401-02	15 cm (6"), 2 x 10 mm, Up
KE-401-03	15 cm (6"), 2 x 10 mm, Down






www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733

SPECIAL PRODUCTS

SP


Cushing Leminectomy Rongeur

Catalog #	Size, Bite Size, Profile
KE-402-01	18 cm (7"), 2 x 10 mm, Straight
KE-402-02	18 cm (7"), 2 x 10 mm, Up
KE-402-03	18 cm (7"), 2 x 10 mm, Down




Cushing Leminectomy Rongeur

Catalog #	Size, Bite Size, Profile
KE-403-01	20 cm (8"), 2 x 10 mm, Straight
KE-403-02	20 cm (8"), 2 x 10 mm, Up
KE-403-03	20 cm (8"), 2 x 10 mm, Down




Love-Gruenwald Leminectomy Rongeur

Catalog #	Size, Bite Size, Profile
KE-404-01	13 cm (5"), 3 x 10 mm, Straight
KE-404-02	13 cm (5"), 3 x 10 mm, Up
KE-404-03	13 cm (5"), 3 x 10 mm, Down



Love-Gruenwald Leminectomy Rongeur

Catalog #	Size, Bite Size, Profile
KE-405-01	15 cm (6"), 3 x 10 mm, Straight
KE-405-02	15 cm (6"), 3 x 10 mm, up
KE-405-03	15 cm (6"), 3 x 10 mm, Down






www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733

SPECIAL PRODUCTS

SP


Love-Gruenwald Leminectomy Rongeur

Catalog #	Size, Bite Size, Profile
KE-406-01	18 cm (7"), 3 x 10 mm, Straight
KE-406-02	18 cm (7"), 3 x 10 mm, Up
KE-406-03	18 cm (7"), 3 x 10 mm, Down




Love-Gruenwald Leminectomy Rongeur

Catalog #	Size, Bite Size, Profile
KE-407-01	20 cm (8"), 3 x 10 mm, Straight
KE-407-02	20 cm (8"), 3 x 10 mm, Up
KE-407-03	20 cm (8"), 3 x 10 mm, Down




Spurling Leminectomy Rongeur

Catalog #	Size, Bite Size, Profile
KE-408-01	13 cm (5"), 4 x 10 mm, Straight
KE-408-02	13 cm (5"), 4 x 10 mm, Up
KE-408-03	13 cm (5"), 4 x 10 mm, Down



Spurling Leminectomy Rongeur

Catalog #	Size, Bite Size, Profile
KE-409-01	15 cm (6"), 4 x 10 mm, Straight
KE-409-02	15 cm (6"), 4 x 10 mm, Up
KE-409-03	15 cm (6"), 4 x 10 mm, Down





www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733

SPECIAL PRODUCTS

SP


Spurling Leminectomy Rongeur

Catalog #	Size, Bite Size, Profile
KE-410-01	18 cm (7"), 4 x 10 mm, Straight
KE-410-02	18 cm (7"), 4 x 10 mm, Up
KE-410-03	18 cm (7"), 4 x 10 mm, Down




Spurling Leminectomy Rongeur

Catalog #	Size, Bite Size, Profile
KE-411-01	20 cm (8"), 4 x 10 mm, Straight
KE-411-02	20 cm (8"), 4 x 10 mm, Up
KE-411-03	20 cm (8"), 4 x 10 mm, Down




Ferris-Smith Leminectomy Rongeur
Straight

Catalog #	Size, Bite Size, Profile
KE-430-01	15.5 cm (6"), 2 mm, Straight
KE-430-02	15.5 cm (6"), 2 mm, Up
KE-430-03	15.5 cm (6"), 2 mm, Down



Ferris-Smith Leminectomy Rongeur

Catalog #	Size, Bite Size, Profile
KE-431-01	15.5 cm (6"), 3 mm, Straight
KE-431-02	15.5 cm (6"), 3 mm, Up
KE-431-03	15.5 cm (6"), 3 mm, Down






www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733


Ferris-Smith Leminectomy Rongeur

Catalog #	Size, Bite Size, Profile
KE-432-01	15.5 cm (6"), 4 mm, Straight
KE-432-02	15.5 cm (6"), 4 mm, Up
KE-432-03	15.5 cm (6"), 4 mm, Down



Ferris-Smith Leminectomy Rongeur

Catalog #	Size, Bite Size, Profile
KE-433-01	15.5 cm (6"), 5 mm, Straight
KE-433-02	15.5 cm (6"), 5 mm, Up
KE-433-03	15.5 cm (6"), 5 mm, Down



Leminectomy Rongeur

Fenestrated and Serrated Jaws

Catalog #	Size, Bite Size, Profile
KE-440-01	15.5 cm (6"), 2 x 12 mm, Straight
KE-440-02	15.5 cm (6"), 2 x 12 mm, Up
KE-440-03	15.5 cm (6"), 2 x 12 mm, Down



Leminectomy Rongeur

Fenestrated and Serrated Jaws

Catalog #	Size, Bite Size, Profile
KE-441-01	15.5 cm (6"), 3 x 12 mm, Straight
KE-441-02	15.5 cm (6"), 3 x 12 mm, Up
KE-441-03	15.5 cm (6"), 3 x 12 mm, Down





www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733

Leminectomy Rongeur

Straight, Fenestrated and Serrated Jaws

Catalog #	Size, Bite Size, Profile
KE-442-01	15.5 cm (6"), 4 x 14 mm, Straight
KE-442-02	15.5 cm (6"), 4 x 14 mm, Up
KE-442-03	15.5 cm (6"), 4 x 14 mm, Down



Leminectomy Rongeur

Fenestrated and Serrated Jaws

Catalog #	Size, Bite Size, Profile
KE-443-01	15.5 cm (6"), 5 x 14 mm, Straight
KE-443-02	15.5 cm (6"), 5 x 14 mm, Up
KE-443-03	15.5 cm (6"), 5 x 14 mm, Down



Leminectomy Rongeur

Fenestrated and Serrated Jaws

Catalog #	Size, Bite Size, Profile
KE-444-01	15.5 cm (6"), 6 x 14 mm, Straight
KE-444-02	15.5 cm (6"), 6 x 14 mm, Up
KE-444-03	15.5 cm (6"), 6 x 14 mm, Down



Schlesinger Leminectomy Rongeur

Serrated Jaws

Catalog #	Size, Bite Size
KE-451-02	13 cm (5"), 2 x 10 mm
KE-451-03	13 cm (5"), 3 x 10 mm
KE-451-04	13 cm (5"), 4 x 10 mm





www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733

SPECIAL PRODUCTS

SP

AURAL FORCEPS



Cawthorne

crocodile, black finish, extra fine with smooth jaws
70mm effective length
7038/05




Fuller

crocodile, black finish, for introducing teflon piston
65mm effective length
7041/05

Hartmann

crocodile, black finish, extra fine with serrated jaws
70mm effective length
7044/25



Hartmann

crocodile, satin finish, serrated jaws
75mm effective length
7044/05




crocodile, satin finish, fine tenaculum jaw
75mm effective length
7044/10



crocodile, satin finish, round cutting jaws
75mm effective length
7044/15



crocodile, satin finish, Grunwald PunchAction jaws
75mm effective length
7044/20






www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733

SPECIAL PRODUCTS


SP

AURAL FORCEPS




Henckel

crocodile, satin finish, scoop blades
75mm effective length
7050/05




Hough

crocodile, satin finish, serrated jaws,
70mm effective length
7056/05




Hough

crocodile, satin finish, serrated jaws angled to right
70mm effective length
7056/10




Hough

crocodile, satin finish, serrated jaws angled to left
70mm effective length
7056/15



Hough

crocodile, satin finish, oval cup jaw
70mm effective length
7056/20



House-Dieter Malleus

fine, satin finish, 75mm effective length
7059/05



www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733

SPECIAL PRODUCTS

SP

AURAL FORCEPS



McGee

crocodile, black finish, wire closing
70mm effective length
7064/05



Ormerod

crocodile, black finish, extra fine serrated jaw
angled upwards 70mm effective length
7065/05



Ormerod

crocodile, black finish, fine ocular cup jaws
70mm effective length
7065/10




Ormerod

crocodile, black finish, fine elongated cup jaw
70mm effective length
7065/15

Shea

crocodile, black finish, oval cup jaw

- 7071/05 straight, 70mm effective length
- 7071/10 curved to the left, 70mm effective length
- 7071/15 curved to the right, 70mm effective length
- 7071/20 curved upwards, 70mm effective length





www.khush-ent.com


info@khush-ent.com

Mobile: +92 300 6103119

Mobile: +92 345 1408733

SPECIAL PRODUCTS

SP




AURAL FORCEPS

Tabb Crura

crocodile, black finish

75mm effective length


7077/05



Hartmann

serrated, screw joint 140mm


7080/05



Lucae

serrated ends 150mm


7082/05



Hunter Tod

serrated ends 110mm

7081/05



Tilley

serrated ends 145mm

7086/05



www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733

BIOPSY FORCEPS

Chevalier Jackson

- basket jaw with round end
7145/05 280mm effective length
7145/10 550mm effective length




Chevalier Jackson

- basket lower jaw
7147/05 350mm effective length
7147/10 400mm effective length
7147/15 450mm effective length
7147/20 500mm effective length
7147/25 550mm effective length
7147/30 600mm effective length



Paterson

- 7150/05 200mm effective length
7150/10 250mm effective length
7150/15 300mm effective length
7150/20 350mm effective length
7150/25 400mm effective length
7150/30 450mm effective length
7150/35 500mm effective length
7150/40 550mm effective length
7150/45 600mm effective length



Paterson

- extra fin
7153/05 350mm effective length
7153/10 450mm effective length





www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733

SPECIAL PRODUCTS

SP


LARYNGEAL FORCEPS



Chevalier Jackson

alligator jaw

- 7435/05 300mm effective length
- 7435/10 350mm effective length
- 7435/15 400mm effective length
- 7435/20 450mm effective length
- 7435/25 550mm effective length



Irwin Moore

alligator jaw, tenaculum points

- 7440/05 300mm effective length
- 7440/10 350mm effective length
- 7440/15 400mm effective length
- 7440/20 550mm effective length





www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733

SPECIAL PRODUCTS

SP

LARYNGEAL FORCEPS



Micro

black finish 250m

7441/05 straight oval cup jaw



7441/10 straight round cup jaw



7441/15 curved to left round cup jaw



7441/20 curved to right round cup jaw



7441/25 curved upwards round cup jaw



7441/30 straight scissor type jaw



7441/35 curved to right scissor type jaw




7441/40 curved to left scissor type jaw



7441/45 horizontal scissor type jaw



7441/50 curved upwards scissor type jaw



7441/55 straight serrated jaw



7441/60 curved to right serrated jaw



7441/65 curved to left serrated jaw



7441/70 horizontal serrated jaw



7441/75 straight blakesley jaw






www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733

SPECIAL PRODUCTS

SP

PITUITARY FORCEPS



Bateman

crocodile jaws, fenestrated
7665/05 150mm effective length



Wilson

flattened tip, 3mm bit
7668/05 145mm effective length


PROBES



Jobson Horne

double ended
7675/05 140mm
7675/10 175mm

PUNCH FORCEPS



Angell James

downward cutting, 150mm effective length 2mm
60° bite
7685/05



downward cutting, 150mm effective length 2mm
right angle bite
7685/10



upward cutting, 150mm effective length 2mm 60°
bite
7685/15



upward cutting, 150mm effective length 2mm
right angle bite
7685/20





www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733

SPECIAL PRODUCTS



SP

PUNCH FORCEPS

St Bartholomew's

scoop blades, 112mm effective length

- 7706/05 straight, 3mm bite
- 7706/10 upward cutting, 3mm bite
- 7706/15 downward cutting, 3mm bite



Tilley Henckel

112mm effective length


- 7712/05 4.5mm bite
- 7712/10 5.5mm bite
- 7712/15 6.5mm bite
- 7712/20 8.0mm bite

CONCHOTOMES

Hartmann

circular cutting, 100mm

- 7245/05 5mm diameter
- 7245/10 7mm diameter
- 7245/15 9mm diameter
- 7245/20 11mm diameter






www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733

SPECIAL PRODUCTS

SP

SCISSORS




Ormerod
crocodile, black finish, extra fin
curved upwards 70mm effective length
7743/05

Portmann

crocodile, satin finish, 70mm effective length
curved to the left
7746/25

crocodile, satin finish, 70mm effective length
curved to the right
7746/50



SCISSORS

Cawthorne

crocodile, black finish, extra fi
70mm effective length
7740/05





www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733

SPECIAL PRODUCTS

SP

SCISSORS AND PUNCHES

*For retrieving
tendons or
foreign bodies.*



HOEN GRASPING FORCEPS

KE 55-0170
5 1/2" (140mm)
shaft
serrated jaw with 1x2 tip



LOOSE BODY GRASPER

KE 55-0172
5 1/2" (140mm)
serrated jaw with blood groove

KE 55-0173
4 3/4" (120mm)
serrated jaw with blood groove




www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733

SPECIAL PRODUCTS

SP

PUNCH FORCEPS




Citelli

73mm effective length

7688/05 2mm bite

75mm effective length

7688/10 4mm bite



Hajek Sphenoidal

upward cutting, 145mm effective length


7700/05 4mm bite

7700/10 5mm bite

downward cutting, 145mm effective length

7700/15 4mm bite


7700/20 5mm bite



Henckel

spring action

7701/05 115mm effective length



Ostrom

reverse action

7703/05 175mm effective length



www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733

MENISCUS PROBE	KE 80-0005	2.5mm	
MENISCUS PROBE	KE 80-0010	3.5mm	
BAYONET KNIFE	KE 80-0015		
SCALPEL KNIFE	KE 80-0020		
SMILLIE MENISCOTOME	KE 80-0025	3.0mm	
SMILLIE MENISCOTOME	KE 80-0030	5.0mm	
SMILLIE MENISCOTOME	KE 80-0035	7.0mm	
RING CURETTE	KE 80-0040	3.0mm	
RING CURETTE	KE 80-0045	7.0mm	
SPOON	KE 80-0050	3.0mm	
BANANA KNIFE	KE 80-0055	smooth	
	KE 80-0060	serrated	
HOOK KNIFE	KE 80-0065		
PLANING KNIFE	KE 80-0070		
SICKLE KNIFE	KE 80-0075		
ROSETTE KNIFE	KE 80-0080	5.0mm	
CARTILAGE FILE	KE 80-0085	fine	
SMILLIE MENISCOTOME	KE 80-0090	3.0mm	
		60° right	
SMILLIE MENISCOTOME	KE 80-0095	3.0mm	
		60° left	



www.khush-ent.com
 info@khush-ent.com
 Mobile: +92 300 6103119
 Mobile: +92 345 1408733



HANDLE STYLE A



HANDLE STYLE B

Shaft Length 5 1/8" (130mm)	Shaft Diameter	 Hook Scissors	 Hook Punch with Scoop 1.6mm	 Hook Punch Set Down 1.6mm	 Hook Punch Cut Angular 1.6mm
 Straight	2.7mm 3.5mm	KE 80-0100 KE 80-0105	KE 80-0190 KE 80-0195	KE 80-0280 KE 80-0285	KE 80-0370
 30° Right	2.7mm 3.5mm	KE 80-0110 KE 80-0115	KE 80-0200 KE 80-0205	KE 80-0290 KE 80-0295	KE 80-0375
 30° Left	2.7mm 3.5mm	KE 80-0120 KE 80-0125	KE 80-0210 KE 80-0215	KE 80-0300 KE 80-0305	KE 80-0380
 45° Right	2.7mm 3.5mm	KE 80-0130 KE 80-0135	KE 80-0220 KE 80-0225	KE 80-0310 KE 80-0315	KE 80-0385
 45° Left	2.7mm 3.5mm	KE 80-0140 KE 80-0145	KE 80-0230 KE 80-0235	KE 80-0320 KE 80-0325	KE 80-0390
 7° Upward	2.7mm 3.5mm	KE 80-0150 KE 80-0155	KE 80-0240 KE 80-0245	KE 80-0330 KE 80-0335	KE 80-0395
 7° Downward	2.7mm 3.5mm	KE 80-0160 KE 80-0165	KE 80-0250 KE 80-0255	KE 80-0340 KE 80-0345	KE 80-0400
 15° Upward	2.7mm 3.5mm	KE 80-0170 KE 80-0175	KE 80-0260 KE 80-0265	KE 80-0350 KE 80-0355	KE 80-0405
 15° Downward	2.7mm 3.5mm	KE 80-0180 KE 80-0185	KE 80-0270 KE 80-0275	KE 80-0360 KE 80-0365	KE 80-0410



www.khush-ent.com
 info@khush-ent.com
 Mobile: +92 300 6103119
 Mobile: +92 345 1408733



HANDLE STYLE A



HANDLE STYLE B

Shaft Length 5 1/8" (130mm)	Shaft Diameter					
				Wide Jaw Punch Medium 3.5mm		
	Straight	3.5mm	KE 80-0415	KE 80-0460	KE 80-0505	KE 80-0550
	30° Right	3.5mm	KE 80-0420	KE 80-0465	KE 80-0510	KE 80-0555
	30° Left	3.5mm	KE 80-0425	KE 80-0470	KE 80-0515	KE 80-0560
	45° Right	3.5mm	KE 80-0430	KE 80-0475	KE 80-0520	KE 80-0565
	45° Left	3.5mm	KE 80-0435	KE 80-0480	KE 80-0525	KE 80-0570
	7° Upward	3.5mm	KE 80-0440	KE 80-0485	KE 80-0530	KE 80-0575
	7° Downward	3.5mm	KE 80-0445	KE 80-0490	KE 80-0535	KE 80-0580
	15° Upward	3.5mm	KE 80-0450	KE 80-0495	KE 80-0540	KE 80-0585
	15° Downward	3.5mm	KE 80-0455	KE 80-0500	KE 80-0545	KE 80-0590



www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733



HANDLE STYLE A



HANDLE STYLE B

Shaft Length 5 1/8" (130mm)	Shaft Diameter					
		Wide Jaw Punch 15° Upwards 2.5mm				
	Straight	3.5mm	KE 80-0595	KE 80-0640	KE 80-0685	KE 80-0730
	30° Right	3.5mm	KE 80-0600	KE 80-0645	KE 80-0690	
	30° Left	3.5mm	KE 80-0605	KE 80-0650	KE 80-0695	
	45° Right	3.5mm	KE 80-0610	KE 80-0655	KE 80-0700	
	45° Left	3.5mm	KE 80-0615	KE 80-0660	KE 80-0705	
	7° Upward	3.5mm	KE 80-0620	KE 80-0665	KE 80-0710	
	7° Downward	3.5mm	KE 80-0625	KE 80-0670	KE 80-0715	
	15° Upward	3.5mm	KE 80-0630	KE 80-0675	KE 80-0720	
	15° Downward	3.5mm	KE 80-0635	KE 80-0680	KE 80-0725	



www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733



HANDLE STYLE A



HANDLE STYLE B

Shaft Length
5 1/8" (130mm)

Shaft
Diameter



Punch 90°
with Scoop
1.6mm

Right angled

2.7mm

KE 80-0775

KE 80-0785

KE 80-0795

KE 80-0805

Left angled

2.7mm

KE 80-0780

KE 80-0790

KE 80-0800

KE 80-0810

Shaft Length
5 1/8" (130mm)

Shaft
Diameter



Hook Scissors
45°



Punch 45°
with Scoop
1.6mm



Punch 45°
Blunt
1.6mm



Punch 90°
with Scoop
1.6mm



Punch 90°
Blunt
1.6mm

Right angled

3.5mm

KE 80-0815

KE 80-0825

KE 80-0835

KE 80-0845

KE 80-0855

Left angled

3.5mm

KE 80-0820

KE 80-0830

KE 80-0840

OM 80-0850

KE 80-0860



www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733

ARTHROSCOPIC INSTRUMENTS

AI



HANDLE STYLE A



HANDLE STYLE B

Shaft Length 5 1/8" (130mm)		Shaft Diameter					
Right angled		3.5mm		KE 80-0865		KE 80-0875	
Left angled		3.5mm		KE 80-0870		KE 80-0880	






www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733



HANDLE STYLE A



HANDLE STYLE B

	Shaft Length 5 1/8" (130mm)	Shaft Diameter				
			Punch Retrograde Cut Left 2.5mm			
Straight		3.5mm	KE 80-0885	KE 80-0912	KE 80-0930	KE 80-0932
	30° Right	3.5mm	KE 80-0890	KE 80-0914		
	30° Left	3.5mm	KE 80-0895	KE 80-0916		
	45° Right	3.5mm	KE 80-0900	KE 80-0918		
	45° Left	3.5mm	KE 80-0902	KE 80-0920		
	7° Upward	3.5mm	KE 80-0904	KE 80-0922		
	7° Downward	3.5mm	KE 80-0906	KE 80-0924		
	15° Upward	3.5mm	KE 80-0908	KE 80-0926		
	15° Downward	3.5mm	KE 80-0910	KE 80-0928		



www.khush-ent.com
info@khush-ent.com
Mobile: +92 300 6103119
Mobile: +92 345 1408733



HANDLE STYLE A



HANDLE STYLE B

Shaft Length 5 1/8" (130mm)	Shaft Diameter				
				Grasping Forceps 1 x 2 Teeth	
without Ratchet	2.7mm	KE 80-0934	KE 80-0938	KE 80-0942	KE 80-0946
with Ratchet	2.7mm	KE 80-0936	KE 80-0940	KE 80-0944	KE 80-0948

Shaft Length 5 1/8" (130mm)	Shaft Diameter					
		Grasping Forceps	Grasping Forceps 1 x 2 Teeth	Grasping Forceps 1 x 2 Teeth	Grasping and Biopsy Forceps	Biopsy Spoon Forceps
without Ratchet	3.5mm	KE 80-0950	KE 80-0954	KE 80-0958	KE 80-0962	KE 80-0966
with Ratchet	3.5mm	KE 80-0952	KE 80-0956	KE 80-0960	OM 80-0964	KE 80-0968